



**emarit<sup>®</sup>**



*The porcelain enamel; the story that has been started 4000 years ago.*



## EMARIT

The modern solution on your roofs. Emarit is a useful, modern and strong roof tile which combines the elegance and permanence of the porcelain enamel with strength of the metal.




You can find a solution with Emarit for most common problems on the roofs of other materials like heaviness, fading, moss, fragility and craking after one or two seasons, together with the necessity of repair work, the goods without packing, leakage. Anymore ,the tiles of your roofs are brought with special clean packets, very easy and cheep transportation. And then your roofs are installed with easy and fast way. And it does not need repair work and it has long life.

Emarit, which is produced from 0,70 mm metal sheet and can be walked on it. Emarit has the most resistance to atmospheric conditions and it does not make cracking, breaking and its is resistant to corrosion thanks to its porcelain enamel coating. It does not fade.

Emarit cleans itself during the raining, It does not make moss with its antibacterial feature . Also it finishes the bad appearance of the roofs. Emarit keeps always its neat and new appearance.

Emarit puts an end to repair work in every year. Emarit has a wide range accessories which presents chic and easy solutions. Emarit gives alternative choices to architects with its wide range colour portfolio.

Emarit is being installed very strongly because of its interlock system and screwing assebly. At the same time. It is very safe since porcelain enamel coating does not transmit the electricity.



Melting of completely natural raw materials at 1000 C ;



Keskin Kimya San Tic A.S. is an ISO 9001 registered company

#### Technical Features

**Name** : Emarit  
**Code** : EM 0101  
**Plating** : Electrostatik porselain enamel  
**Dimensions** : 480 x 380 mm  
**The Thickness** : 0,70 mm  
**Of metal sheet**  
**Consumption / m<sup>2</sup>** : 6,5 Pieces  
**Package** : 14 Pieces / Package  
**Weight / m<sup>2</sup>** : 8 kg.















#### Quality Assurance

Quality Assurance		
The thickness test of electrostatik porcelain enamel	ISO 2178	DIN 50981
Enamelled articles for service under highly corrosive conditions	ISO 2746	ISO 8289
Adhesion test	DEZ-MB 7.10.3	EN 10209
Impact resistance	ISO 4532	DIN 51155
Water resistance	DEZ-MB 7.3.3	
Cold citric acid test	ISO 2722	
Boiling citric acid test	ISO 2742	
Colour standart	DEZ-MB 7.14.3.1	DIN 6175



*The elegant and strong togetherness of the metal and the glass,  
forming by plating of the metal with the melting glass.*




 <p><b>Product Code</b> : EM01 10 <b>Product Name</b> : Round Ridge <b>Size</b> : 21.5X43.5X12 cm <b>Consumption</b> : 3 Pieces/m <b>Package Inf.</b> : 10 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 11 <b>Product Name</b> : Round Ridge Right Finish <b>Size</b> : 21.5X43.5X12 cm <b>Package Inf.</b> : 8 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 12 <b>Product Name</b> : Round Ridge Left Finish <b>Size</b> : 21.5X43.5X12 cm <b>Package Inf.</b> : 8 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 20 <b>Product Name</b> : Valley Groove <b>Size</b> : 44X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 10 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 40 <b>Product Name</b> : Corner Coating <b>Size</b> : 11X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 25 Pieces/1 Package</p>
 <p><b>Product Code</b> : EM01 50 <b>Product Name</b> : Headwall Coating <b>Size</b> : 16X15X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 25 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 60 <b>Product Name</b> : Sidewall Coating Right <b>Size</b> : 18X16X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 25 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 61 <b>Product Name</b> : Sidewall Coating Left <b>Size</b> : 18X16X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 25 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 70 <b>Product Name</b> : Cover Flashing <b>Size</b> : 11X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 50 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM01 71 <b>Product Name</b> : Cover Flashing In-Cornerpiece <b>Size</b> : 11X10 cm</p>
 <p><b>Product Code</b> : EM01 72 <b>Product Name</b> : Cover Flashing Out-Cornerpiece <b>Size</b> : 11X10 cm <b>Package Inf.</b> : 10 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM 300 <b>Product Name</b> : First Line Assemble Apparatus <b>Size</b> : 10X49 cm <b>Consumption</b> : 2.5 Pieces/m <b>Package Inf.</b> : 35 Pieces/1 Package</p>	 <p><b>Product Code</b> : EM 301 <b>Product Name</b> : Snow Rake <b>Size</b> : 10X37 cm <b>Package Inf.</b> : 50 Pieces/1 Package</p>	 <p><b>Kod</b> : EM 302 <b>Adi</b> : ventilation pipe flashing</p>	



*It continues to give inspiration to designers in a wide selection of fields.*



*The Space For Air Circulation*



- └ Emarit is mounted to the roof construction with 13 units of screws per square meter.
- └ They are also connected to each other with Emarit's special lock system.
- └ Emarit roofing has a very strong mounting system and very esthetic viewing since any of the screws can not be seen after the montage of it.
- └ This also prevents some deformations which may occur in the mounting places.



Today, together with the technological development, it is preferred in architecture because of its elegance and strength.



Heat - fire resistance/  
Incombustible



It is inconductive



Fade  
resistance



Unscratchable



Resistant to  
temperatures from  
-6 °C to +45 °C



Racyclable



Durable - Longlasting



Clean apperance




Energy efficiency



It is resistant to  
corrode



Light



Pratical package



It is resistant to  
weather conditions  
and corrosion



Virtually maintance  
free



*Now it is on your roofs with EMARIT*



### STANDARD SERIES



### EKSTRA SERIES





**KESKİN KİMYA SAN. ve TİC. A.Ş.**

Yahya Kemal Mh. Okul Sk. No: 2/4  
80640 Kağıthane - İstanbul / TÜRKİYE  
Phone: +90 212 295 75 75 Pbx.  
Fax: +90 212 295 75 84

**Factory**

Uzuntarla İzmit / TÜRKİYE  
Phone: +90 262 375 23 26 Pbx.  
Fax: +90 262 375 23 27

**Factory**

yavuz Metal SanTic A.Ş  
Arsin Organize San Bölgesi  
Arsin/Trabzon  
Phone: +90 462 711 20 33  
Fax : +90 462 711 20 34

e-mail: [info@emarit.com.tr](mailto:info@emarit.com.tr)  
[www.emarit.com.tr](http://www.emarit.com.tr)

